Molecular and Cellular Endocrinology, 98 (1993) 107–115
© 1993 Elsevier Scientific Publishers Ireland, Ltd. 0303-7207/93/$06.00

Author Index to Volumes 91–97 (1993)

Abayasekara, D.R.E., Jones, P.M., Persaud, S.J., Michael, A.E. and Flint, A.P.F.
Prostaglandin $F_{2\alpha}$ activates protein kinase C in human ovarian cells (91) 51

Abayasekara, D.R.E., Michael, A.E., Webley, G.E. and Flint, A.P.F.
Mode of action of prostaglandin $F_{2\alpha}$ in human luteinized granulosa cells: role of protein kinase C (97) 81

Abboud, H.E., see Bhandari, B. (91) 185

Abramovici, H., see Goldman, S. (96) 125

Ahlquist, J.A.O., see Madison, L.D. (94) 129

Ahrén, B., see Fridolf, T. (96) 85

Akers, R.M., see Romagnolo, D. (96) 147

Akita, Y., see Yajima, Y. (92) 143

Aleström, P., see Klungland, H. (95) 147

Almaden, Y., see Torronteras, R. (97) 51

Ambler, G.R., see Gluckman, P.D. (92) C1

Amit, T., Hartmann, K., Shoshany, G., Baruch, Y., Youdim, M.B.H. and Hochberg, Z.
The turnover of growth hormone (GH)-binding protein and GH receptor in rabbit and rat (94) 149

Ammon, H.P.T., see Safayhi, H. (91) 143

Amsterdam, A., see Keren-Tal, I. (95) R1

Andersen, Ø., see Klungland, H. (95) 147

Anderson, E., see Rao, I.M. (94) 121

Anderson, L., see Duthie, S.M. (95) R11

Andersson, T., Förlin, L., Olsen, S., Fostier, A. and Breton, B.
Pituitary as a target organ for toxic effects of *P*4501A1 inducing chemicals (91) 99

Aoki, H., see Suzuki, T. (97) 135

Applegarth, O., see Krisinger, J. (97) 61

Arai, M. and Widmaier, E.P.
Steroidogenesis in isolated adrenocortical cells during development in rats (92) 91

Aranda, A., see Sanchez-Pacheco, A. (91) 127

Arici, A., Head, J.R., MacDonald, P.C. and Casey, M.L.
Regulation of interleukin-8 gene expression in human endometrial cells in culture (94) 195

Asem, E.K., see Chiang, M. (94) 27

Atassi, M.Z., see Sakata, S. (92) 77

Atsma, W., see Verbost, P.M. (93) 11

Atteke, C., see Salbert, G. (96) 177

Autelitano, D.J. and Sheppard, K.E.
Corticotrope responsiveness to glucocorticoids is modulated via rapid CRF-mediated induction of the proto-oncogene c-*fos* (94) 111

Authier, F., see El Hessni, A. (92) 183

Ayotte, N., see Lafond, J. (92) 207

Badinga, L., see Simmen, R.C.M. (97) 101

Bahl, O.P., see Chen, W. (91) 35

Baker, M.E., see Brtko, J. (93) 81

Bali, J.-P., see Nonotte, I. (92) 167

Bali, J.-P., see Remy-Heintz, N. (93) 23

Barnea, A., see Magni, P. (94) 205

Barnhart, K.M., see Jackson, S.M. (96) 167

Bartula, L., see Myers, S.I. (95) 129

Baruch, Y., see Amit, T. (94) 149

Basudev, H., Jones, P.M., Persaud, S.J. and Howell, S.L.
Arachidonic acid-induced insulin secretion from rat islets of Langerhans is not mediated by protein phosphorylation (91) 193

Bayat-Sarmadi, M. and Houdebine, L.-M.
Effect of various protein kinase inhibitors on the induction of milk protein gene expression by prolactin (92) 127

Begeot, M., see Lauber, M.E. (94) 235

Behrman, H.R., see Musicki, B. (92) 215

Beitins, I.Z., see Krey, L.C. (91) 13

Bélanger, A., see Martel, C. (91) 43

Belayew, A., see Berwaer, M. (92) 1

Belfiore, C.J., see Wiltbank, M.C. (97) 1

Ben-Yosef, D., Dekel, N., Phillips, D.M. and Shalgi, R.
Fertilization and early development of rat oocytes induced to mature by forskolin (96) 61

Benahmed, M., see Nehar, D. (92) 45

Berelowitz, M., see Olchovsky, D. (93) 193

Bergen, H.T., Pentecost, B.T., Dickerman, H.W. and Pfaff, D.W.
In situ hybridization for creatine kinase-B messenger RNA in rat uterus and brain (92) 111

Bertran, J., see Gumà, A. (91) 29

Berwaer, M., Peers, B., Nalda, A.M., Monget, P., Davis, J.R.E., Belayew, A. and Martial, J.A.
Thyrotropin-releasing hormone and epidermal growth factor induce human prolactin expression via identical multiple *cis* elements (92) 1

Bhandari, B. and Abboud, H.E.
Platelet derived growth factor-A chain gene expression in cultured mesangial cells: regulation by phorbol ester at the level of mRNA abundance, transcription and mRNA stability (91) 185

Billig, H., see Carlsson, B. (95) 59

Bird, I.M., see Holland, O.B. (94) R9

Bishop, J.F. and Mouradian, M.M.
Characterization of a corticotropin releasing hormone responsive region in the murine proopiomelanocortin gene (97) 165

Blondeau, J.P., see Chantoux, F. (97) 145

Blum, W.F., see Ilvesmäki, V. (97) 71

Bock, M.E., see Nickel, B.E. (91) 159

Bock, M.E., see Vuille, J.-C. (96) 91

Boer, P., see Wind, J.C. (92) 25

Boileau, G., see Chevrier, D. (94) 213

Bollenbacher, W.E., see Watson, R.D. (92) 221

Bond, J.A., Wyllie, F.S., Ivan, M., Dawson, T. and Wynford-Thomas, D.
A variant epithelial sub-population in normal thyroid with high proliferative capacity in vitro (93) 175

Bonnec, G., see Salbert, G. (96) 177

Born, W., see Wind, J.C. (92) 25

Boronat, A., see Jiménez, G. (96) 53

Boyle, P.L., see Romagnolo, D. (96) 147

Brem, A.S. and Morris, D.J.
Interactions between glucocorticoids and mineralocorticoids in the regulation of renal electrolyte transport (97) C1

Brennan, V., see Kendler, D.L. (93) 199

Breslau, N.A., see Zerwekh, J.E. (96) 1

Bresson, L., see Dufy-Barbe, L. (95) 67

Breton, B., see Andersson, T. (91) 99

Brichard, S.M., Desbuquois, B. and Girard, J.
Vanadate treatment of diabetic rats reverses the impaired expression of genes involved in hepatic glucose metabolism: effects on glycolytic and gluconeogenic enzymes, and on glucose transporter GLUT2 (91) 91

Brooks, J., Taylor, P.L., Saunders, P.T.K., Eidne, K.A., Struthers, W.J. and McNeilly, A.S.
Cloning and sequencing of the sheep pituitary gonadotropin-releasing hormone receptor and changes in expression of its mRNA during the estrous cycle (94) R23

Brown, P., McNeilly, J.R., Wallace, R.M., McNeilly, A.S. and Clark, A.J.
Characterization of the ovine LHβ-subunit gene: the promoter directs gonadotrope-specific expression in transgenic mice (93) 157

Brtko, J., Knopp, J. and Baker, M.E.
Inhibition of 3,5,3′-triiodothyronine binding to its receptor in rat liver by protease inhibitors and substrates (93) 81

Bruhat, A., Dréau, D., Drake, M.E., Tourmente, S., Chapel, S., Couderc, J.L. and Dastugue, B.
Intronic and 5′ flanking sequences of the *Drosophila* β_3 tubulin gene are essential to confer ecdysone responsiveness (94) 61

Brunette, M.G., see Lafond, J. (92) 207

Brunner, H.R., see Walker, P. (91) 107

Bruno, J.F., see Olchovsky, D. (93) 193

Bryant-Greenwood, G.D., Rutanen, E.-M., Partanen, S., Coelho, T.K. and Yamamoto, S.Y.
Sequential appearance of relaxin, prolactin and IGFBP-1 during growth and differentiation of the human endometrium (95) 23
Butkus, A., see Verbost, P.M. (93) 11
Byatt, J.C., see Romagnolo, D. (96) 147

Caffin, J.P., see Taouis, M. (96) 113
Campion, J.P., see Lucas-Clerc, C. (94) 9
Camps, M., see Gumà, A. (91) 29
Canning, S., see Leighton, J.K. (97) 29
Carlsson, B., Nilsson, A., Isaksson, O.G.P. and Billig, H.
Growth hormone-receptor messenger RNA in the rat ovary: regulation and localization (95) 59
Carniti, C., see Di Blasio, A.M. (96) R7
Carter, D.A., see Chew, L.-J. (92) 9
Casey, M.L., see Arici, A. (94) 195
Castaño, J.P., see Torronteras, R. (97) 51
Catipovic, B., see Wulff, B.S. (91) 135
Cattini, P.A., see Nickel, B.E. (91) 159
Cattini, P.A., see Vuille, J.-C. (96) 91
Celis, L., Claessens, F., Peeters, B., Heyns, W., Verhoeven, G. and Rombauts, W.
Proteins interacting with an androgen-responsive unit in the C3(1) gene intron (94) 164
Chantoux, F., Chuniaud, L., Dessante, M., Trivin, F., Blondeau, J.P. and Francon, J.
Competitive inhibition of thyroid hormone uptake into cultured rat brain astrocytes by bilirubin and bilirubin conjugates (97) 145
Chapdelaine, P., see Gauthier, E.R. (94) 155
Chapel, S., see Bruhat, A. (94) 61
Chavanieu, A., see Taouis, M. (96) 113
Chen, C.-L.C., Pignataro, O.P. and Feng, Z.-M.
Inhibin/activin subunits and activin receptor are co-expressed in Leydig tumor cells (94) 137
Chen, J.-C., see Sheikh, M.S. (92) 153
Chen, W. and Bahl, O.P.
High expression of the hormone binding active extracellular domain (1–294) of rat lutropin receptor in *Escherichia coli* (91) 35
Chen, W.Y., see Wang, X. (94) 89
Cheng, S.-Y., see Yen, P.M. (97) 93
Chevillard, C., see Nonotte, I. (92) 167
Chevillard, C., see Remy-Heintz, N. (93) 23
Chevrier, D., Fournier, H., Nault, C., Zollinger, M., Crine, P. and Boileau, G.
Targeting of pro-opiomelanocortin to the regulated secretory pathway may involve cooperation between different protein domains (94) 213
Chew, L.-J., Pardy, K., Murphy, D. and Carter, D.A.
Osmotic stimuli attenuate vasoactive intestinal peptide gene expression in the rat anterior pituitary gland (92) 9
Chi, L., Zhou, W., Prikhozhan, A., Flanagan, C., Davidson, J.S., Golembo, M., Illing, N., Millar, R.P. and Sealfon, S.C.
Cloning and characterization of the human GnRH receptor (91) R1
Chiang, M., Strong, J.A. and Asem, E.K.
Bovine serum albumin enhances calcium currents in chicken granulosa cells (94) 27
Chilco, P.J., Gerardi, J.M., Kaczmarczyk, S.J., Chu, S., Leopold, V. and Zajac, J.D.
Calcitonin increases transcription of parathyroid hormone-related protein via cAMP (94) 1
Chin, W.W., see Jones, K.E. (91) 113
Chin, W.W., see Yen, P.M. (97) 93
Cho, B.N., Suh, Y.H., Yoon, Y.D., Lee, C.C. and Kim, K.
Progesterone inhibits the estrogen-induced prolactin gene expression in the rat pituitary (93) 47
Chopineau, M., Maurel, M.-C., Combarnous, Y. and Durand, P.
Topography of equine chorionic gonadotropin epitopes relative to the luteinizing hormone and follicle-stimulating hormone receptor interaction sites (92) 229
Chou, J.Y., see Mukherjee, A.B. (94) R15
Christiansen, J., see Nielsen, F.C. (93) 87
Chrousos, G.P., see Vamvakopoulos, N.C. (94) 73
Chu, S., see Chilco, P.J. (94) 1
Chung, C.S., see Lee, C.Y. (93) 71
Chuniaud, L., see Chantoux, F. (97) 145
Cioffi, J.A., see Wang, X. (94) 89
Claessens, F., see Celis, L. (94) 164
Clark, A.J., see Brown, P. (93) 157
Clarke, I.J., Rao, A., Fallest, P.C. and Shupnik, M.A.
Transcription rate of the follicle stimulating hormone (FSH) β subunit gene is reduced by inhibin in sheep but this does not fully explain the decrease in mRNA (91) 211
Coelho, T.K., see Bryant-Greenwood, G.D. (95) 23
Collins, E.D., see Taoka, T. (95) 51
Collu, R., see Forget, H. (93) 125
Combarnous, Y., see Chopineau, M. (92) 229
Combe, M.-C., see Walker, P. (91) 107
Cook, J., see Duthie, S.M. (95) R11
Copp, D.H., see Wagner, G.F. (93) 185
Cota, G., see Horta, J. (92) 189
Couderc, J.L., see Bruhat, A. (94) 61
Couet, J., see Martel, C. (91) 43
Crawford, R.J., see Roche, P.J. (91) 21
Cremonesi, L., see Di Blasio, A.M. (96) R7
Crine, P., see Chevrier, D. (94) 213
Crone, D.E., see Tillman, J.B. (95) 101
Currie, W.D., see Krisinger, J. (97) 61

Dann, J.L., see Krisinger, J. (97) 61
Dantes, A., see Keren-Tal, I. (95) R1
Dastugue, B., see Bruhat, A. (94) 61
Dattatreyamurty, B. and Reichert, Jr., L.E.
Identification of regions of the follitropin (FSH) β-subunit that interact with the N-terminus region (residues 9–30) of the FSH receptor (93) 39
Davidson, J.S., see Chi, L. (91) R1
Davie, J.R., see Miller, T.L. (91) 83
Davies, T.F., see Graves, P.N. (93) 213
Davies, T.F., see Kendler, D.L. (93) 199
Davis, J.R.E., see Berwaer, M. (92) 1
Davis, J.S., see Gangrade, B.K. (93) 117
Dawson, T., see Bond, J.A. (93) 175
Day, N.K., see Haraguchi, S. (96) R1
De Amicis, F., see Villone, G. (95) 85
De Jong, F., see Perheentupa, A. (93) 135
Dekel, N., see Ben-Yosef, D. (96) 61
De Laat, S.W., see Van der Burg, B. (91) 149
Demian, S., see Myers, S.I. (95) 129
Denef, C., see Houben, H. (97) 159
Derouet, M., see Taouis, M. (96) 113
Desbuquois, B., see Brichard, S.M. (91) 91
Dessante, M., see Chantoux, F. (97) 145
Devi, L., see Petanceska, S. (94) 37
Dias, J.A., see Weiner, K.X.B. (92) 195
Di Blasio, A.M., Vigano, P., Cremonesi, L., Carniti, C., Ferrari, M. and Ferrari, A.
Expression of the genes encoding basic fibroblast growth factor and its receptor in human granulosa cells (96) R7
Dickerman, H.W., see Bergen, H.T. (92) 111
Dirnfeld, M., see Goldman, S. (96) 125
Djakiew, D., see Onoda, M. (93) 53
Dorin, R.I., Zlock, D.W. and Kilpatrick, K.
Transcriptional regulation of human corticotropin releasing factor gene expression by cyclic adenosine 3′,5′-monophosphate: differential effects at proximal and distal promoter elements (96) 99
Drake, M.E., see Bruhat, A. (94) 61
Dréau, D., see Bruhat, A. (94) 61
Drews, R.T., see Forget, H. (93) 125
Dubé, J.Y., see Gauthier, E.R. (94) 155
Ducharme, L., see Lehoux, J.-G. (93) 1
Duckworth, M.L., see Vuille, J.-C. (96) 91
Dufy-Barbe, L., Bresson, L., Vacher, P., Odessa, M.F., Galli, F.S., Rivel, J. and Guérin, J.
Thyrotropin-releasing hormone and gonadotropin-releasing hormone-associated peptide modulation of $[Ca^{2+}]_i$ in human lactotrophs (95) 67
Dumont, J.E., see Taton, M. (95) 13
Duperray, C., see Nonotte, I. (92) 167
Durand, P., see Chopineau, M. (92) 229
Durand, P., see Taragnat, C. (96) 7
Duthie, S.M., Taylor, P.L., Anderson, L., Cook, J. and Eidne, K.A.
Cloning and functional characterisation of the human TRH receptor (95) R11
Dyson, M., see Shukovski, L. (97) 19

Eddy, K.B., see Keel, B.A. (94) 21
Eidne, K.A., see Brooks, J. (94) R23
Eidne, K.A., see Duthie, S.M. (95) R11
Eidne, K.A., see Zabavnik, J. (95) 121
El Hessni, A., Authier, F. and Silve, C.
Parathyroid hormone and glucagon compete for binding to low affinity sites on human skin fibroblasts (92) 183
Enver, T., see Jiménez, G. (96) 53

Erämaa, M., Heikinheimo, K., Tuuri, T., Hildén, K. and Ritvos, O.
Inhibin/activin subunit mRNA expression in human granulosa-luteal cells (92) R15
Eskola, V., Nikula, H. and Huhtaniemi, I.
Age-related variation of follicle-stimulating hormone-stimulated cAMP production, protein kinase C activity and their interactions in the rat testis (93) 143
Evans, B., see Fu, P. (93) 107
Evans, C.T., see Myers, S.I. (95) 129

Fallest, P.C., see Clarke, I.J. (91) 211
Fargher, R.C., see Wagner, G.F. (93) 185
Farnworth, P., see Michel, U. (91) 1
Feng, Z.-M., see Chen, C.-L.C. (94) 137
Fernandez, L.M., see Xia, H. (92) R1
Ferrari, A., see Di Blasio, A.M. (96) R7
Ferrari, M., see Di Blasio, A.M. (96) R7
Fevold, H.R., Ivanovitch, J.D., Zanger, U.M. and Waterman, M.R.
The sequence of the 5′-end of the rat *CYP17* gene, the transcription initiation site and a comparison with the homologous genes of other species (95) 95
Feyereisen, R., see Snyder, M.J. (94) R1
Findlay, J.K., see Michel, U. (91) 1
Findlay, J.K., see Shukovski, L. (97) 19
Fischer, J.A., see Wind, J.C. (92) 25
Flanagan, C., see Chi, L. (91) R1
Flik, G., see Verbost, P.M. (93) 11
Flint, A.P.F., see Abayasekara, D.R.E. (91) 51
Flint, A.P.F., see Abayasekara, D.R.E. (97) 81
Fontana, J.A., see Sheikh, M.S. (92) 153
Ford, A.M., see Jiménez, G. (96) 53
Forget, H., Painson, J.-C., Drews, R.T., Lagacé, G. and Collu, R.
MMQ cells: a model for evaluating the role of G proteins in the modulation of prolactin release (93) 125
Forgione, M., see Yen, P.M. (97) 93
Förlin, L., see Andersson, T. (91) 99
Fostier, A., see Andersson, T. (91) 99
Foti, D., see Seto, P. (94) R5
Fournier, H., see Chevrier, D. (94) 213
Francon, J., see Chantoux, F. (97) 145
Frankenne, F., see Scippo, M.L. (92) R7
Fricker, L.D., see Petanceska, S. (94) 37
Fridolf, T. and Ahrén, B.
Effects of glucagon like peptide-$1_{(7\text{-}36)}$amide on the cytoplasmic Ca^{2+}-concentration in rat islet cells (96) 85
Friesen, H.G., see Vuille, J.-C. (96) 91
Fu, P., Evans, B., Lim, G.B., Moritz, K. and Wintour, E.M.
The sheep erythropoietin gene: molecular cloning and effect of hemorrhage on plasma erythropoietin and renal/liver messenger RNA in adult sheep (93) 107
Fukaya, T., see Suzuki, T. (97) 135
Fukumoto, S., see Kiriyama, T. (92) 55
Fukumoto, S., see Kiriyama, T. (94) 145
Fung, C., see Wang, B.S. (92) 161

Gadson, Jr., P.F., see Rao, I.M. (94) 121
Galli, F.S., see Dufy-Barbe, L. (95) 67
Gammeltoft, S., see Nielsen, F.C. (93) 87
Gangrade, B.K., Gotcher, E.D., Davis, J.S. and May, J.V.
The secretion of transforming growth factor-beta by bovine luteal cells in vitro (93) 117
Gangrade, B.K., see Keel, B.A. (94) 21
Gauthier, E.R., Chapdelaine, P., Tremblay, R.R. and Dubé, J.Y.
Transcriptional regulation of dog prostate arginine esterase gene by androgens (94) 155
Geiger, B., see Hadari, Y.R. (97) 9
Gelato, M.C., see Olchovsky, D. (93) 193
Gerardi, J.M., see Chilco, P.J. (94) 1
Gertler, A., see Granot, I. (92) 241
Gertler, A., see Sakal, E. (97) 129
Gether, U., see Wulff, B.S. (91) 135
Gilchrist, C.A. and Shull, J.D.
Epidermal growth factor induces prolactin mRNA in GH_4C_1 cells via a protein synthesis-dependent pathway (92) 201
Gillespie, M.T., see Kiriyama, T. (92) 55
Gillespie, M.T., see Kiriyama, T. (94) 145
Girard, J., see Brichard, S.M. (91) 91
Glatz, J.A., see Kiriyama, T. (92) 55
Glatz, J.A., see Kiriyama, T. (94) 145
Glibetic, M., Larson, D.E., Rothblum, L.I. and Sells, B.H.
Dexamethasone stimulates rRNA gene transcription in rat myoblasts (94) 243
Gluckman, P.D. and Ambler, G.R.
What is the function of circulating insulin-like growth factor-2 in postnatal life? (92) C1
Goforth, D.P., see Murono, E.P. (92) 121
Goforth, D.P., see Murono, E.P. (97) 109
Goldman, S., Dirnfeld, M., Abramovici, H. and Kraiem, Z.
Triiodothyronine (T_3) modulates hCG-regulated progesterone secretion, cAMP accumulation and DNA content in cultured human luteinized granulosa cells (96) 125
Golembo, M., see Chi, L. (91) R1
Good, R.A., see Haraguchi, S. (96) R1
Gordon, D.F., Haugen, B.R., Sarapura, V.D., Nelson, A.R., Wood, W.M. and Ridgway, E.C.
Analysis of Pit-1 in regulating mouse TSHβ promoter activity in thyrotropes (96) 75
Gordon, D.F., see Sarapura, V.D. (91) 75
Gordon, J.W., see Reventos, J. (96) 69
Gotcher, E.D., see Gangrade, B.K. (93) 117
Gracia-Navarro, F., see Torronteras, R. (97) 51
Grady, L.H., see Welshons, W.V. (94) 183
Granot, I., Halevy, O., Tchelet, A., Sakal, E., Gertler, A., Vogel, T., Hurwitz, S. and Pines, M.
Effect of N-terminal modified analogs of growth hormone on collagen synthesis in avian skin fibroblasts (92) 241
Grasso, P., Joseph, M.P. and Reichert, Jr., L.E.
A tetrapeptide within a receptor-binding region of human follicle-stimulating hormone beta-subunit, hFSH-β-(34-37), regulates sodium-calcium exchange in Sertoli cells (96) 19
Graves, P.N. and Davies, T.F.
Thyrotropin regulates thyroglobulin mRNA splicing and differential processing (93) 213
Grimes, R.W., see Leighton, J.K. (97) 29
Gromoll, J., Weinbauer, G.F., Simoni, M. and Nieschlag, E.
Effects of antiandrogens and ethane dimethane sulphonate (EDS) on gene expression, free subunits, bioactivity and secretion of pituitary gonadotrophins in male rats (91) 119
Grønborg, M., see Nielsen, F.C. (93) 87
Grouzmann, E., see Walker, P. (91) 107
Guérin, J., see Dufy-Barbe, L. (95) 67
Gumà, A., Viñals, F., Camps, M., Lizarbe, M., Mora, C., Bertran, J., Testar, X., Palacín, M. and Zorzano, A.
Effect of benzyl succinate on insulin receptor function and insulin action in skeletal muscle: further evidence for a lack of spare high-affinity insulin receptors (91) 29
Gustafsson, J.-Å., see Kononen, J. (93) 97
Gustafsson, J.-Å., see Schultz, R. (95) 115
Gutierrez-Hartmann, A., see Jackson, S.M. (96) 167

Hadari, Y.R., Geiger, B., Nadiv, O., Sabanay, I., Roberts, Jr., C.T., LeRoith, D. and Zick, Y.
Hepatic tyrosine-phosphorylated proteins identified and localized following in vivo inhibition of protein tyrosine phosphatases: effects of H_2O_2 and vanadate administration into rat livers (97) 9
Halevy, O., see Granot, I. (92) 241
Hämäläinen, T.M., see Markkula, M.A. (96) 25
Hammond, J.M., see Leighton, J.K. (97) 29
Haraguchi, S., Good, R.A. and Day, N.K.
Prolactin acts on the extreme 5′ portion of MMTV LTR involving a mammary cell-specific enhancer (96) R1
Harding, P.A., see Wang, X. (94) 89
Hartmann, K., see Amit, T. (94) 149
Haselbacher, G., see Nielsen, F.C. (93) 87
Haug, E., see Sørnes, G. (93) 149
Haugen, B.R., see Gordon, D.F. (96) 75
Hayakawa, T., see Sakal, E. (97) 129
He, Y., see Keel, B.A. (94) 21
Head, J.R., see Arici, A. (94) 195
Heikinheimo, K., see Erämaa, M. (92) R15
Hennen, G., see Scippo, M.L. (92) R7
Herzog, H., see Walker, P. (91) 107
Heyns, W., see Celis, L. (94) 164
Hildén, K., see Erämaa, M. (92) R15
Hiriart, M. and Ramirez-Medeles, M.C.
Muscarinic modulation of insulin secretion by single pancreatic β-cells (93) 63
Hochberg, Z., see Amit, T. (94) 149
Hoeffler, J.P., see Jackson, S.M. (96) 167
Holland, O.B., Mathis, J.M., Bird, I.M. and Rainey, W.E.

Angiotensin increases aldosterone synthase mRNA levels in human NCI-H295 cells (94) R9

Hollande, F., see Nonotte, I. (92) 167

Honkaniemi, J., see Kononen, J. (93) 97

Honkaniemi, J., see Schultz, R. (95) 115

Hooghe-Peters, E.L., see Scippo, M.L. (92) R7

Hornsby, P.J., see Rao, I.M. (94) 121

Horta, J. and Cota, G.
Lactotrope subtypes are differentially responsive to calcium channel blockers (92) 189

Houben, H., Vandenbroucke, A.-T., Verheyden, A.-M. and Denef, C.
Expression of the genes encoding bombesin-related peptides and their receptors in anterior pituitary tissue (97) 159

Houdebine, L.-M., see Bayat-Sarmadi, M. (92) 127

Howell, S.L., see Basudev, H. (91) 193

Howell, S.L., see Persaud, S.J. (94) 55

Huhtaniemi, I., see Eskola, V. (93) 143

Huhtaniemi, I., see Perheentupa, A. (93) 135

Huhtaniemi, I.T., see Markkula, M.A. (96) 25

Hurwitz, S., see Granot, I. (92) 241

Huzel, N.J., see Miller, T.L. (91) 83

Igout, A., see Scippo, M.L. (92) R7

Illing, N., see Chi, L. (91) R1

Ilvesmäki, V., Blum, W.F. and Voutilainen, R.
Insulin-like growth factor binding proteins in the human adrenal gland (97) 71

Ilvesmäki, V., Jäättelä, M., Saksela, E. and Voutilainen, R.
Tumor necrosis factor-α and interferon-γ inhibit insulin-like growth factor II gene expression in human fetal adrenal cell cultures (91) 59

Imura, H., see Sugawa, H. (93) 207

Inman, L., see Myers, S.I. (95) 129

Irino, S., see Taoka, T. (95) 51

Isaksson, O.G.P., see Carlsson, B. (95) 59

Isaksson, O.G.P., see Ohlsson, C. (91) 167

Isola, J., see Schultz, R. (95) 115

Ison, A.J., see Thomson, F.J. (94) 223

Ivan, M., see Bond, J.A. (93) 175

Ivanovitch, J.D., see Fevold, H.R. (95) 95

Iwata, K.K., see Jeng, M.-H. (97) 115

Jäättelä, M., see Ilvesmäki, V. (91) 59

Jackson, S.M., Barnhart, K.M., Mellon, P.L., Gutierrez-Hartmann, A. and Hoeffler, J.P.
Helix-loop-helix proteins are present and differentially expressed in different cell lines from the anterior pituitary (96) 167

Jameson, J.L., see Madison, L.D. (94) 129

Jarry, H., see Kim, K. (97) 153

Jefcoate, C.R., see Yamazaki, T. (95) 1

Jeffrey, J.J., see Rydelek-Fitzgerald, L. (91) 67

Jeffrey, J.J., see Rydelek-Fitzgerald, L. (92) 253

Jego, P., see Salbert, G. (96) 177

Jeng, M.-H., Ten Dijke, P., Iwata, K.K. and Jordan, V.C.
Regulation of the levels of three transforming growth factor β mRNAs by estrogen and their effects on the proliferation of human breast cancer cells (97) 115

Jenkins, C., Michael, D., Mahendroo, M. and Simpson, E.
Exon-specific Northern analysis and rapid amplification of cDNA ends (RACE) reveal that the proximal promoter II (PII) is responsible for aromatase cytochrome P_{450} (*CYP*19) expression in human ovary (97) R1

Jeung, E.-B., see Krisinger, J. (97) 61

Jiménez, G., Ford, A.M., Enver, T. and Boronat, A.
Multiple changes in chromatin structure precede the transcriptional activation of the human growth hormone locus in placental cells (96) 53

Johansen, T.E., see Wulff, B.S. (91) 135

Johnson, M.S., Thomson, F.J., MacEwan, D.J. and Mitchell, R.
The involvement of dihydropyridine-sensitive calcium channels in phorbol ester-induced luteinizing hormone and growth hormone release (95) 31

Johnson, M.S., see Thomson, F.J. (94) 223

Johnston, D.G., see Johnston, J.M. (92) 63

Johnston, J.M., Wood, D.F., Read, S. and Johnston, D.G.
Dopamine regulates D_2 receptor gene expression in normal but not in tumorous rat pituitary cells (92) 63

Jolly, Y.C., see Konrad, R.J. (92) 135

Jones, K.E., Yaffe, B.M. and Chin, W.W.
Regulation of thyroid hormone receptor β-2 mRNA levels by retinoic acid (91) 113

Jones, P.M., Mann, F.M., Persaud, S.J. and Wheeler-Jones, C.P.D.
Mastoparan stimulates insulin secretion from pancreatic β-cells by effects at a late stage in the secretory pathway (94) 97

Jones, P.M., see Abayasekara, D.R.E. (91) 51

Jones, P.M., see Basudev, H. (91) 193

Jones, P.M., see Persaud, S.J. (94) 55

Jordan, V.C., see Jeng, M.-H. (97) 115

Jordan, V.C., see Welshons, W.V. (94) 183

Joseph, D.R., see Reventos, J. (96) 69

Joseph, M.P., see Grasso, P. (96) 19

Judy, B.M., see Welshons, W.V. (94) 183

Kaczmarczyk, S.J., see Chilco, P.J. (94) 1

Kagawa, N., see Lauber, M.E. (93) 227

Kalley-Taylor, B., see Myers, S.I. (95) 129

Kangasniemi, M.
Effects of adenosine analog PIA (*n*-phenylisopropyladenosine) on FSH-stimulated cyclic AMP (cAMP) production in the rat seminiferous epithelium (96) 141

Katada, T., see Yajima, Y. (92) 143

Keel, B.A., Eddy, K.B., He, Y., Gangrade, B.K. and May, J.V.
Purified human α-fetoprotein inhibits follicle-stimulating hormone-stimulated estradiol production by porcine granulosa cells in culture (94) 21

Kelder, B., see Wang, X. (94) 89

Kendler, D.L., Brennan, V., Davies, T.F. and Magnusson, R.P.
Expression of human thyroid peroxidase in insect cells using recombinant baculovirus (93) 199

Keren-Tal, I., Dantes, A., Sprengel, R. and Amsterdam, A.
Establishment of steroidogenic granulosa cell lines expressing follicle stimulating hormone receptors (95) R1

Keutmann, H.T., see Morbeck, D.E. (97) 173

Khan, H., see Yarney, T.A. (93) 219

Kilpatrick, K., see Dorin, R.I. (96) 99

Kim, H.-S., see Tillman, J.B. (95) 101

Kim, K., Jarry, H., Knoke, I., Seong, J.Y., Leonhardt, S. and Wuttke, W.
Competitive PCR for quantitation of gonadotropin-releasing hormone mRNA level in a single micropunch of the rat preoptic area (97) 153

Kim, K., see Cho, B.N. (93) 47

Kim, K.E., see Markkula, M.A. (96) 25

Kiriyama, T., Gillespie, M.T., Glatz, J.A., Fukumoto, S., Moseley, J.M. and Martin, T.J.
Transforming growth factor β stimulation of parathyroid hormone-related protein (PTHrP): a paracrine regulator? Molecular and Cellular Endocrinology, 92 (1993) 55–62 (94) 145

Kiriyama, T., Gillespie, M.T., Glatz, J.A., Fukumoto, S., Moseley, J.M. and Martin, T.J.
Transforming growth factor β stimulation of parathyroid hormone-related protein (PTHrP): a paracrine regulator? (92) 55

Kisen, G., see Klungland, H. (95) 147

Kitagawa, H., see Noguchi, M. (92) 69

Klungland, H., Andersen, Ø., Kisen, G., Aleström, P. and Tora, L.
Estrogen receptor binds to the salmon GnRH gene in a region with long palindromic sequences (95) 147

Knoke, I., see Kim, K. (97) 153

Knopp, J., see Brtko, J. (93) 81

Koch, B. and Lutz-Bucher, B.
Vasopressin, unlike phorbol ester, fails to synergistically interact with pituitary adenylate cyclase activating polypeptide (PACAP) in stimulating cyclic AMP formation and ACTH secretion in cultured anterior pituitary cells (92) 175

Koh, C.Y. and Phillips, J.T.
Prolactin receptor expression by lymphoid tissues in normal and immunized rats (92) R21

Kononen, J., Honkaniemi, J., Gustafsson, J.-Å. and Pelto-Huikko, M.
Glucocorticoid receptor colocalization with pituitary hormones in the rat pituitary gland (93) 97

Konrad, R.J., Jolly, Y.C., Major, C. and Wolf, B.A.
Fuel secretagogue stimulation of arachidonic acid accumulation in fresh and cultured pancreatic islets (92) 135

Koopmann, I., see Safayhi, H. (91) 143

Kopchick, J.J., see Wang, X. (94) 89
Koren, R., see Ravid, A. (96) 133
Korkidis, K., see Wang, B.S. (92) 161
Kostellow, A.B., Ma, G.-Y. and Morrill, G.A.
Steroid action at the plasma membrane: progesterone stimulation of phosphatidylcholine-specific phospholipase C following release of the prophase block in amphibian oocytes (92) 33
Koszewski, N.J., see Lannigan, D.A. (94) 47
Kovacs, W.J., see McCammon, D.K. (91) 177
Koyasaki, N., see Noguchi, M. (92) 69
Kraiem, Z., see Goldman, S. (96) 125
Krey, L.C., Padmanabhan, V. and Beitins, I.Z.
Progesterone modulation of gonadotropin secretion by dispersed rat pituitary cells in culture. IV. Follicle-stimulating hormone synthesis and release (91) 13
Krishnan, V., see Wang, X. (96) 159
Krisinger, J., Dann, J.L., Applegarth, O., Currie, W.D., Jeung, E.-B., Staun, M. and Leung, P.C.K.
Calbindin-D_{9k} gene expression during the perinatal period in the rat: correlation to estrogen receptor expression in uterus (97) 61
Krivi, G.G., see Sakal, E. (97) 129
Krozowski, Z., see Mercer, W. (92) 247
Kwakkenbos-Isbrücker, L., see Van der Burg, B. (91) 149

Laboisse, C., see Remy-Heintz, N. (93) 23
Labrie, C., see Martel, C. (91) 43
Labrie, F., see Martel, C. (91) 43
Lafond, J., Ayotte, N. and Brunette, M.G.
Effect of (1–34) parathyroid hormone-related peptide on the composition and turnover of phospholipids in syncytiotrophoblast brush border and basal plasma membranes of human placenta (92) 207
Lagacé, G., see Forget, H. (93) 125
Lake, M., see Nielsen, F.C. (93) 87
Laliberté, F., see Nonotte, I. (92) 167
Laliberté, M.-F., see Remy-Heintz, N. (93) 23
Laliberté, M.F., see Nonotte, I. (92) 167
Lamy, F., see Taton, M. (95) 13
Lannigan, D.A., Koszewski, N.J. and Notides, A.C.
Estrogen-responsive elements contain non-B DNA (94) 47
Larsen, T.H., Myking, O., Lillehaug, J.R. and Sætersdal, T.
Inhibition and down-regulation of protein kinase C in cultured atrial myocytes: effects on distribution of specific granules and secretion of atrial natriuretic peptide (94) 173
Larson, D.E., see Glibetic, M. (94) 243
Lauber, M.E., Kagawa, N., Waterman, M.R. and Simpson, E.R.
cAMP-dependent and tissue-specific expression of genes encoding steroidogenic enzymes in bovine luteal and granulosa cells in primary culture (93) 227
Lauber, M.E., Picton, H.M., Begeot, M., Momoi, K., Waterman, M.R. and Simpson, E.R.
Regulation of *CYP11A* gene expression in bovine ovarian granulosa cells in primary culture by cAMP and phorbol esters is conferred by a common *cis*-acting element (94) 235
Launois, B., see Lucas-Clerc, C. (94) 9
Lee, C.C., see Cho, B.N. (93) 47
Lee, C.Y., Chung, C.S. and Simmen, F.A.
Ontogeny of the porcine insulin-like growth factor system (93) 71
Lehoux, J.-G. and Ducharme, L.
Effects of dexamethasone on the levels of adrenal steroidogenic enzyme mRNA in rats treated with 4-aminopyrazolopyrimidine (93) 1
Leighton, J.K., Grimes, R.W., Canning, S. and Hammond, J.M.
Expression of the IGF system in primary and immortalized porcine ovarian granulosa cells (97) 29
Leonhardt, S., see Kim, K. (97) 153
Leopold, V., see Chilco, P.J. (94) 1
LeRoith, D., see Hadari, Y.R. (97) 9
Leung, P.C.K., see Krisinger, J. (97) 61
Liberman, U.A., see Ravid, A. (96) 133
Lillehaug, J.R., see Larsen, T.H. (94) 173
Lim, G.B., see Fu, P. (93) 107
Lin, T., Wang, D. and Nagpal, M.L.
Human chorionic gonadotropin induces interleukin-1 gene expression in rat Leydig cells in vivo (95) 139
Lindahl, A., see Ohlsson, C. (91) 167
Lizarbe, M., see Gumà, A. (91) 29
Lucas-Clerc, C., Massart, C., Campion, J.P., Launois, B. and Nicol, M.
Long-term culture of human pancreatic islets in an extracellular matrix: morphological and metabolic effects (94) 9
Lumanglas, A.L., see Wang, B.S. (92) 161
Lutz-Bucher, B., see Koch, B. (92) 175

Ma, G.-Y., see Kostellow, A.B. (92) 33
Macchia, E., see Yen, P.M. (97) 93
MacDonald, P.C., see Arici, A. (94) 195
MacEwan, D.J., see Johnson, M.S. (95) 31
MacEwan, D.J., see Thomson, F.J. (94) 223
Madison, L.D., Ahlquist, J.A.O., Rogers, S.D. and Jameson, J.L.
Negative regulation of the glycoprotein hormone α gene promoter by thyroid hormone: mutagenesis of a proximal receptor binding site preserves transcriptional repression (94) 129
Magni, P. and Barnea, A.
An early and transient period of protein synthesis is required for induction of neuropeptide Y-mRNA by phorbol ester and forskolin in aggregate cultures of fetal brain cells (94) 205
Magnusson, R.P., see Kendler, D.L. (93) 199
Magoffin, D.A. and Weitsman, S.R.
Effect of insulin-like growth factor-I on cholesterol side-chain cleavage cytochrome P450 messenger ribonucleic acid expression in ovarian theca-interstitial cells stimulated to differentiate in vitro (96) 45
Maguire, S.M., Millar, M.R., Sharpe, R.M. and Saunders, P.T.K.
Stage-dependent expression of mRNA for cyclic protein 2 during spermatogenesis is modulated by elongate spermatids (94) 79
Mahendroo, M., see Jenkins, C. (97) R1
Mahesh, V.B., see Rao, I.M. (94) 121
Major, C., see Konrad, R.J. (92) 135
Mann, F.M., see Jones, P.M. (94) 97
Manolagas, S., see Zerwekh, J.E. (96) 1
Manshouri, T., see Sakata, S. (92) 77
Marcil, J., Ravindranath, N. and Sairam, M.R.
Cytotoxic activity of lutropin-gelonin conjugate in mouse Leydig tumor cells: potentiation of the hormonotoxin activity by different drugs (92) 83
Markkula, M.A., Hämäläinen, T.M., Zhang, F., Kim, K.E., Maurer, R.A. and Huhtaniemi, I.T.
The FSH β-subunit promoter directs the expression of *Herpes simplex* virus type 1 thymidine kinase to the testis of transgenic mice (96) 25
Maron, L., see Ravid, A. (96) 133
Martel, C., Trudel, C., Couet, J., Labrie, C., Bélanger, A. and Labrie, F.
Blockade of androstenedione-induced stimulation of androgen-sensitive parameters in the rat prostate by combination of Flutamide and 4-MA (91) 43
Martial, J.A., see Berwaer, M. (92) 1
Martin, T.J., see Kiriyama, T. (92) 55
Martin, T.J., see Kiriyama, T. (94) 145
Mason, J.I., see Suzuki, T. (97) 135
Massart, C., see Lucas-Clerc, C. (94) 9
Mathis, J.M., see Holland, O.B. (94) R9
Matsuda, Y., see Schumacher, H. (94) 105
Mauduit, C., see Nehar, D. (92) 45
Maurel, M.-C., see Chopineau, M. (92) 229
Maurer, R.A., see Markkula, M.A. (96) 25
May, J.V., see Gangrade, B.K. (93) 117
May, J.V., see Keel, B.A. (94) 21
McCammon, D.K., Zhou, P., Turney, M.K., McPhaul, M.J. and Kovacs, W.J.
An androgenic affinity ligand covalently binds to cytosolic aldehyde dehydrogenase from human genital skin fibroblasts (91) 177
McCormick, D.J., see Morbeck, D.E. (97) 173
McFadden, T.B., see Romagnolo, D. (96) 147
McKeown, B.A., see Wagner, G.F. (93) 185
McLachlan, S.M., see Seto, P. (94) R5
McNamara, B.C., see Yamazaki, T. (95) 1
McNeilly, A.S., see Brooks, J. (94) R23
McNeilly, A.S., see Brown, P. (93) 157
McNeilly, A.S., see Zabavnik, J. (95) 121
McNeilly, J.R., see Brown, P. (93) 157
McPhaul, M.J., see McCammon, D.K. (91) 177
Mellon, P.L., see Jackson, S.M. (96) 167
Menendez-Pelaez, A., see Rodriguez, C. (93) 167
Mercer, W., Obeyesekere, V., Smith, R. and Krozowski, Z.

Characterization of 11β-HSD1B gene expression and enzymatic activity (92) 247
Michael, A.E., see Abayasekara, D.R.E. (91) 51
Michael, A.E., see Abayasekara, D.R.E. (97) 81
Michael, D., see Jenkins, C. (97) R1
Michel, F.J., see Simmen, R.C.M. (97) 101
Michel, U., Farnworth, P. and Findlay, J.K.
Follistatins: more than follicle-stimulating hormone suppressing proteins (91) 1
Millar, M.R., see Maguire, S.M. (94) 79
Millar, R.P., see Chi, L. (91) R1
Miller, T.L., Huzel, N.J., Davie, J.R. and Murphy, L.C.
C-*myc* gene chromatin of estrogen receptor positive and negative breast cancer cells (91) 83
Milliken, C., see Wagner, G.F. (93) 185
Mitchell, M.D. and Trautman, M.S.
Molecular mechanisms regulating prostaglandin action (93) C7
Mitchell, R., see Johnson, M.S. (95) 31
Mitchell, R., see Thomson, F.J. (94) 223
Mitchell, R., see Thomson, F.J. (95) 75
Miura, K., see Sakata, S. (92) 77
Miyanaga, K. and Shimasaki, S.
Structural and functional characterization of the rat follistatin (activin-binding protein) gene promoter (92) 99
Miyazaki, I., see Noguchi, M. (92) 69
Mizukami, Y., see Noguchi, M. (92) 69
Momoi, K., see Lauber, M.E. (94) 235
Monget, P., see Berwaer, M. (92) 1
Mora, C., see Gumà, A. (91) 29
Morbeck, D.E., Roche, P.C., Keutmann, H.T. and McCormick, D.J.
A receptor binding site identified in the region 81–95 of the β-subunit of human luteinizing hormone (LH) and chorionic gonadotropin (hCG) (97) 173
Morera, A.M., see Nehar, D. (92) 45
Mori, T., see Sugawa, H. (93) 207
Moritz, K., see Fu, P. (93) 107
Morrill, G.A., see Kostellow, A.B. (92) 33
Morris, D.J., see Brem, A.S. (97) C1
Moseley, J.M., see Kiriyama, T. (92) 55
Moseley, J.M., see Kiriyama, T. (94) 145
Mouradian, M.M., see Bishop, J.F. (97) 165
Muehleisen, D.P., see Watson, R.D. (92) 221
Mukherjee, A.B., Murty, L.C. and Chou, J.Y.
Differentiation and uteroglobin gene expression by novel rabbit endometrial cell lines (94) R15
Mukhopadhyay, A.K., see Schumacher, H. (94) 105
Müller, J., see Oertle, M. (91) 201
Munoz, M., see Walker, P. (91) 107
Murono, E.P., Washburn, A.L., Goforth, D.P. and Wu, N.
Basic fibroblast growth factor-induced increase in ^{125}I-human chorionic gonadotropin binding to luteinizing hormone receptors in cultured immature Leydig cells is mediated by binding to heparan sulfate proteoglycans (97) 109
Murono, E.P., Washburn, A.L., Goforth, D.P. and Wu, N.
Biphasic effect of basic fibroblast growth factor on ^{125}I-human chorionic gonadotropin binding to cultured immature Leydig cells (92) 121
Murphy, D., see Chew, L.-J. (92) 9
Murphy, L.C., see Miller, T.L. (91) 83
Murty, L.C., see Mukherjee, A.B. (94) R15
Musicki, B. and Behrman, H.R.
Metal chelators reverse the action of hydrogen peroxide in rat luteal cells (92) 215
Myers, S.I., Evans, C.T., Inman, L., Demian, S., Bartula, L., Kalley-Taylor, B. and Riva, A.
Acute cholecystitis potentiates bradykinin stimulated fibroblast prostanoid release in the rabbit (95) 129
Myking, O., see Larsen, T.H. (94) 173

Nachtigal, M.W., see Nickel, B.E. (91) 159
Nadiv, O., see Hadari, Y.R. (97) 9
Nagayama, Y., see Seto, P. (94) R5
Nagpal, M.L., see Lin, T. (95) 139
Nagura, H., see Suzuki, T. (97) 135
Nalda, A.M., see Berwaer, M. (92) 1
Narasimhan, T.R., see Wang, X. (96) 159
Nault, C., see Chevrier, D. (94) 213
Nehar, D., Mauduit, C., Revol, A., Morera, A.M. and Benahmed, M.
Effect of epidermal growth factor/transforming growth factor α on lactate production in porcine Sertoli cells: glucose transport and lactate dehydrogenase isozymes as potential sites of action (92) 45
Nelson, A.R., see Gordon, D.F. (96) 75
Nickel, B.E., Bock, M.E., Nachtigal, M.W. and Cattini, P.A.
Differential expression of human placental growth hormone variant and chorionic somatomammotropin genes in choriocarcinoma cells treated with methotrexate (91) 159
Nicol, M., see Lucas-Clerc, C. (94) 9
Nielsen, F.C., Haselbacher, G., Christiansen, J., Lake, M., Grønborg, M. and Gammeltoft, S.
Biosynthesis of 10 kDa and 7.5 kDa insulin-like growth factor II in a human rhabdomyosarcoma cell line (93) 87
Nieschlag, E., see Gromoll, J. (91) 119
Nikula, H., see Eskola, V. (93) 143
Nilsson, A., see Carlsson, B. (95) 59
Nilsson, A., see Ohlsson, C. (91) 167
Nishikawa, S., see Sakal, E. (97) 129
Niswender, G.D., see Wiltbank, M.C. (97) 1
Noguchi, M., Thomas, M., Koyasaki, N., Ohta, N., Taniya, T., Kitagawa, H., Miyazaki, I. and Mizukami, Y.
Influence of hormones on tumor growth, cell kinetics, estrogen receptor and insulin-like growth factor-I-related protein of human breast cancer (MCF-7) cells transplanted in nude mice (92) 69
Nonotte, I., Laliberté, M.F., Duperray, C., Hollande, F., Bali, J.-P., Laliberté, F. and Chevillard, C.
Expression of angiotensin I converting enzyme mRNA in rabbit gastric epithelial cells (92) 167
Nonotte, I., see Remy-Heintz, N. (93) 23
Norman, A.W., see Taoka, T. (95) 51
Notides, A.C., see Lannigan, D.A. (94) 47
Nyman, T., see Pekonen, F. (95) 43

Obeyesekere, V., see Mercer, W. (92) 247
Odessa, M.F., see Dufy-Barbe, L. (95) 67
Oertle, M. and Müller, J.
Two types of cytochrome P-450$_{11\beta}$ in rat adrenals: separate regulation of gene expression (91) 201
Ohlsson, C., Nilsson, A., Swolin, D., Isaksson, O.G.P. and Lindahl, A.
Establishment of a growth hormone responsive chondrogenic cell line from fetal rat tibia (91) 167
Ohta, N., see Noguchi, M. (92) 69
Okamoto, H., see Wulff, B.S. (91) 135
Okuda, K., see Sakata, S. (92) 77
Olchovsky, D., Song, J., Gelato, M.C., Sherwood, J., Spatola, E., Bruno, J.F. and Berelowitz, M.
Pituitary and hypothalamic insulin-like growth factor-I (IGF-I) and IGF-I receptor expression in food-deprived rats (93) 193
Olsen, S., see Andersson, T. (91) 99
Onoda, M. and Djakiew, D.
A 29,000 M_r protein derived from round spermatids regulates Sertoli cell secretion (93) 53
Ormandy, C.J. and Sutherland, R.L.
Mechanisms of prolactin receptor regulation in mammary gland (91) C1

Padmanabhan, V., see Krey, L.C. (91) 13
Painson, J.-C., see Forget, H. (93) 125
Pak, C.Y.C., see Zerwekh, J.E. (96) 1
Palacín, M., see Gumà, A. (91) 29
Pardy, K., see Chew, L.-J. (92) 9
Partanen, S., see Bryant-Greenwood, G.D. (95) 23
Parvinen, M., see Schultz, R. (95) 115
Pascual, A., see Sanchez-Pacheco, A. (91) 127
Paus, R., see Slominski, A. (93) C1
Payne, S., see Yarney, T.A. (93) 219
Peers, B., see Berwaer, M. (92) 1
Peeters, B., see Celis, L. (94) 164
Pekonen, F., Nyman, T. and Rutanen, E.-M.
Differential expression of keratinocyte growth factor and its receptor in the human uterus (95) 43
Pelto-Huikko, M., see Kononen, J. (93) 97
Pelto-Huikko, M., see Schultz, R. (95) 115
Pentecost, B.T., see Bergen, H.T. (92) 111
Perez, P., see Sanchez-Pacheco, A. (91) 127
Perheentupa, A., De Jong, F. and Huhtaniemi, I.
Biphasic effect of exogenous testosterone on follicle-stimulating hormone gene ex-

pression and synthesis in the male rat (93) 135
Perrier-Meissonnier, S., see Remy-Heintz, N. (93) 23
Perrotti, N., see Villone, G. (95) 85
Persaud, S.J., Jones, P.M. and Howell, S.L.
Staurosporine inhibits protein kinases activated by Ca^{2+} and cyclic AMP in addition to inhibiting protein kinase C in rat islets of Langerhans (94) 55
Persaud, S.J., see Abayasekara, D.R.E. (91) 51
Persaud, S.J., see Basudev, H. (91) 193
Persaud, S.J., see Jones, P.M. (94) 97
Petanceska, S., Zikherman, J., Fricker, L.D. and Devi, L.
Processing of prodynorphin in BRL-3A cells, a rat liver-derived cell line: implications for the specificity of neuropeptide-processing enzymes (94) 37
Pfaff, D.W., see Bergen, H.T. (92) 111
Phillips, D.M., see Ben-Yosef, D. (96) 61
Phillips, J.T., see Koh, C.Y. (92) R21
Picone, R., see Villone, G. (95) 85
Picton, H.M., see Lauber, M.E. (94) 235
Pignataro, O.P., see Chen, C.-L.C. (94) 137
Pines, M., see Granot, I. (92) 241
Plas, C., see Zachayus, J.-L. (92) 15
Porter, W., see Wang, X. (96) 159
Preziosi, D.E., see Welshons, W.V. (94) 183
Prikhozhan, A., see Chi, L. (91) R1
Puett, D., see Xia, H. (92) R1

Rabelo, E.M. and Tata, J.R.
Thyroid hormone potentiates estrogen activation of vitellogenin genes and autoinduction of estrogen receptor in adult *Xenopus* hepatocytes (96) 37
Rainey, W.E., see Holland, O.B. (94) R9
Ramirez-Medeles, M.C., see Hiriart, M. (93) 63
Rao, A., see Clarke, I.J. (91) 211
Rao, I.M., Gadson, Jr., P.F., Anderson, E., Hornsby, P.J. and Mahesh, V.B.
Characterization of progesterone biosynthesis in a transformed granulosa cell line (94) 121
Rapoport, B., see Seto, P. (94) R5
Ravid, A., Koren, R., Maron, L. and Liberman, U.A.
$1,25(OH)_2D_3$ increases cytotoxicity and exocytosis in lymphokine-activated killer cells (96) 133
Ravindranath, N., see Marcil, J. (92) 83
Ravindranath, N., see Yarney, T.A. (93) 219
Read, M. and Shulkes, A.
Developmental expression of pancreatic gastrin and somatostatin in the sheep (93) 31
Read, S., see Johnston, J.M. (92) 63
Reichert, Jr., L.E., see Dattatreyamurty, B. (93) 39
Reichert, Jr., L.E., see Grasso, P. (96) 19
Reiter, R.J., see Rodriguez, C. (93) 167
Remy-Heintz, N., Perrier-Meissonnier, S., Nonotte, I., Laliberté, M.-F., Chevillard, C., Laboisse, C. and Bali, J.-P.
Evidence for autocrine growth stimulation by a gastrin/CCK-like peptide of the gastric cancer HGT-1 cell line (93) 23
Reventos, J., Sullivan, P.M., Joseph, D.R. and Gordon, J.W.
Tissue-specific expression of the rat androgen-binding protein/sex hormone-binding globulin gene in transgenic mice (96) 69
Revol, A., see Nehar, D. (92) 45
Ridgway, E.C., see Gordon, D.F. (96) 75
Ridgway, E.C., see Sarapura, V.D. (91) 75
Rijnsent, A., see Wind, J.C. (92) 25
Risbridger, G.P.
Discrete stimulatory effects of platelet-derived growth factor (PDGF-BB) on Leydig cell steroidogenesis (97) 125
Ritvos, O., see Erämaa, M. (92) R15
Riva, A., see Myers, S.I. (95) 129
Rivel, J., see Dufy-Barbe, L. (95) 67
Roberts, Jr., C.T., see Hadari, Y.R. (97) 9
Roche, P.C., see Morbeck, D.E. (97) 173
Roche, P.J., Crawford, R.J. and Tregear, G.W.
A single-copy relaxin-like gene sequence is present in sheep (91) 21
Rodriguez, C., Menendez-Pelaez, A., Vaughan, M.K. and Reiter, R.J.
Gender-associated differences in the development of 5-aminolevulinate synthase gene expression in the Harderian gland of Syrian hamsters (93) 167
Roger, P.P., see Taton, M. (95) 13
Rogers, S.D., see Madison, L.D. (94) 129
Romagnolo, D., Akers, R.M., Wong, E.A., Boyle, P.L., McFadden, T.B., Byatt, J.C. and Turner, J.D.
Lactogenic hormones and extracellular matrix regulate expression of IGF-1 linked to MMTV-LTR in mammary epithelial cells (96) 147
Rombauts, W., see Celis, L. (94) 164
Rothblum, L.I., see Glibetic, M. (94) 243
Ruiz-Navarro, A., see Torronteras, R. (97) 51
Rutanen, E.-M., see Bryant-Greenwood, G.D. (95) 23
Rutanen, E.-M., see Pekonen, F. (95) 43
Rydelek-Fitzgerald, L., Wilcox, B.D., Teitler, M. and Jeffrey, J.J.
Serotonin-dependent collagenase induction in rat myometrial smooth muscle cells: mediation by the $5\text{-}HT_2$ receptor (91) 67
Rydelek-Fitzgerald, L., Wilcox, B.D., Teitler, M. and Jeffrey, J.J.
Serotonin-mediated $5\text{-}HT_2$ receptor gene regulation in rat myometrial smooth muscle cells (92) 253

Sabanay, I., see Hadari, Y.R. (97) 9
Sadeghi, H., see Wang, B.S. (92) 161
Sætersdal, T., see Larsen, T.H. (94) 173
Safayhi, H., Koopmann, I. and Ammon, H.P.T.
Insulin secretion without the participation of arachidonic acid (91) 143
Safe, S., see Wang, X. (96) 159
Sairam, M.R., see Marcil, J. (92) 83
Sairam, M.R., see Yarney, T.A. (93) 219
Saito, T., see Yajima, Y. (92) 143
Sakal, E., Tchelet, A., Uchida, E., Shimokawa, S., Nishikawa, S., Hayakawa, T., Krivi, G.G. and Gertler, A.
Site-directed mutagenesis of hGH at the 54–74 loop selectively modifies its lactogenic receptor-mediated biological activity (97) 129
Sakal, E., see Granot, I. (92) 241
Sakata, S., Tanaka, S.-I., Okuda, K., Miura, K., Manshouri, T. and Atassi, M.Z.
Autoimmune T-cell recognition sites of human thyrotropin receptor in Graves' disease (92) 77
Saksela, E., see Ilvesmäki, V. (91) 59
Salbert, G., Atteke, C., Bonnec, G. and Jego, P.
Differential regulation of the estrogen receptor mRNA by estradiol in the trout hypothalamus and pituitary (96) 177
Salverda, S., see Van der Burg, B. (91) 149
Sanchez-Pacheco, A., Perez, P., Villa, A., Pascual, A. and Aranda, A.
Nicotinamide analogs and DNA-damaging agents deplete thyroid hormone receptor and c-erbA mRNA levels in pituitary GH1 cells (91) 127
Sarapura, V.D., Wood, W.M., Gordon, D.F. and Ridgway, E.C.
Effect of thyroid hormone on T_3-receptor mRNA levels and growth of thyrotropic tumors (91) 75
Sarapura, V.D., see Gordon, D.F. (96) 75
Sasano, H., see Suzuki, T. (97) 135
Saunders, P.T.K., see Brooks, J. (94) R23
Saunders, P.T.K., see Maguire, S.M. (94) 79
Schroedter, I.C., see Vuille, J.-C. (96) 91
Schultz, R., Isola, J., Parvinen, M., Honkaniemi, J., Wikström, A.-C., Gustafsson, J.-Å. and Pelto-Huikko, M.
Localization of the glucocorticoid receptor in testis and accessory sexual organs of male rat (95) 115
Schumacher, H., Matsuda, Y. and Mukhopadhyay, A.K.
HS-142-1 inhibits testosterone production and guanosine-3′ : 5′-cyclic monophosphate accumulation stimulated by atrial natriuretic peptide in isolated mouse Leydig cells (94) 105
Schwartz, T.W., see Wulff, B.S. (91) 135
Scippo, M.L., Frankenne, F., Hooghe-Peters, E.L., Igout, A., Velkeniers, B. and Hennen, G.
Syncytiotrophoblastic localization of the human growth hormone variant mRNA in the placenta (92) R7
Sealfon, S.C., see Chi, L. (91) R1
Seidah, N.G., see Yarney, T.A. (93) 219
Selbie, L., see Walker, P. (91) 107
Sells, B.H., see Glibetic, M. (94) 243
Seong, J.Y., see Kim, K. (97) 153
Seto, P., Nagayama, Y., Foti, D., McLachlan, S.M. and Rapoport, B.
Autoantibodies in the sera of patients with autoimmune thyroid disease recognize a secreted form of human thyroid peroxi-

dase generated in a baculovirus system (94) R5
Shalgi, R., see Ben-Yosef, D. (96) 61
Shao, Z.-M., see Sheikh, M.S. (92) 153
Sharpe, R.M., see Maguire, S.M. (94) 79
Sheikh, M.S., Shao, Z.-M., Chen, J.-C. and Fontana, J.A.
Differential regulation of matrix Gla protein (MGP) gene expression by retinoic acid and estrogen in human breast carcinoma cells (92) 153
Sheppard, K.E., see Autelitano, D.J. (94) 111
Sherwood, J., see Olchovsky, D. (93) 193
Shimasaki, S., see Miyanaga, K. (92) 99
Shimokawa, S., see Sakal, E. (97) 129
Shine, J., see Walker, P. (91) 107
Shoshany, G., see Amit, T. (94) 149
Shukovski, L., Dyson, M. and Findlay, J.K.
The effects of follistatin, activin and inhibin on steroidogenesis by bovine thecal cells (97) 19
Shulkes, A., see Read, M. (93) 31
Shull, J.D., see Gilchrist, C.A. (92) 201
Shupnik, M.A., see Clarke, I.J. (91) 211
Silve, C., see El Hessni, A. (92) 183
Simmen, F.A., see Lee, C.Y. (93) 71
Simmen, R.C.M., Badinga, L. and Michel, F.J.
Chromosomal organization of the gene encoding porcine antileukoproteinase and functional analysis of the promoter region in endometrial and placental cells (97) 101
Simon, J., see Taouis, M. (96) 113
Simoni, M., see Gromoll, J. (91) 119
Simpson, E., see Jenkins, C. (97) R1
Simpson, E.R., see Lauber, M.E. (93) 227
Simpson, E.R., see Lauber, M.E. (94) 235
Slominski, A., Paus, R. and Wortsman, J.
On the potential role of proopiomelanocortin in skin physiology and pathology (93) C1
Smith, E., see Sugawa, H. (93) 207
Smith, R., see Mercer, W. (92) 247
Snyder, M.J. and Feyereisen, R.
A diazepam binding inhibitor (DBI) homolog from the tobacco hornworm, *Manduca sexta* (94) R1
Song, J., see Olchovsky, D. (93) 193
Sørnes, G., Haug, E. and Torjesen, P.A.
Calcitriol attenuates the thyrotropin-releasing hormone-stimulated inositol phosphate production in clonal rat pituitary (GH_4C_1) cells (93) 149
Spanjaard, R.A., see Yen, P.M. (97) 93
Spatola, E., see Olchovsky, D. (93) 193
Spaziani, E. and Wang, W.L.
Biosynthesis of ecdysteroid hormones by crustacean Y-organs: conversion of cholesterol to 7-dehydrocholesterol is suppressed by a steroid 5α-reductase inhibitor (95) 111
Spindler, S.R., see Tillman, J.B. (95) 101
Sprengel, R., see Keren-Tal, I. (95) R1
Sprung, C.N., see Tillman, J.B. (95) 101
Staun, M., see Krisinger, J. (97) 61
Strong, J.A., see Chiang, M. (94) 27
Struthers, W.J., see Brooks, J. (94) R23
Sugawa, H., Smith, E., Imura, H. and Mori, T.
A thyroid cancer specific monoclonal antibody which recognizes cryptic epitope(s) of human thyroglobulin (93) 207
Sugawara, A., see Yen, P.M. (97) 93
Suh, Y.H., see Cho, B.N. (93) 47
Sullivan, P.M., see Reventos, J. (96) 69
Sutherland, R.L., see Ormandy, C.J. (91) C1
Suzuki, T., Sasano, H., Tamura, M., Aoki, H., Fukaya, T., Yajima, A., Nagura, H. and Mason, J.I.
Temporal and spatial localization of steroidogenic enzymes in premenopausal human ovaries: in situ hybridization and immunohistochemical study (97) 135
Swolin, D., see Ohlsson, C. (91) 167

Tamura, M., see Suzuki, T. (97) 135
Tanaka, S.-I., see Sakata, S. (92) 77
Taniya, T., see Noguchi, M. (92) 69
Taoka, T., Collins, E.D., Irino, S. and Norman, A.W.
1,25$(OH)_2$-vitamin D_3 mediated changes in mRNA for c-*myc* and 1,25$(OH)_2D_3$ receptor in HL-60 cells and related subclones (95) 51
Taouis, M., Derouet, M., Caffin, J.P., Chavanieu, A. and Simon, J.
Insulin receptor and insulin sensitivity in a chicken hepatoma cell line (96) 113
Taragnat, C. and Durand, P.
Functional heterogeneity of gonadotrophs in the ovine fetus: analysis by reverse hemolytic plaque assay (96) 7
Tata, J.R., see Rabelo, E.M. (96) 37
Taton, M., Lamy, F., Roger, P.P. and Dumont, J.E.
General inhibition by transforming growth factor β1 of thyrotropin and cAMP responses in human thyroid cells in primary culture (95) 13
Taylor, P.L., see Brooks, J. (94) R23
Taylor, P.L., see Duthie, S.M. (95) R11
Tchelet, A., see Granot, I. (92) 241
Tchelet, A., see Sakal, E. (97) 129
Teitler, M., see Rydelek-Fitzgerald, L. (91) 67
Teitler, M., see Rydelek-Fitzgerald, L. (92) 253
Ten Dijke, P., see Jeng, M.-H. (97) 115
Terranova, P.F., see Zachow, R.J. (97) 37
Testar, X., see Gumà, A. (91) 29
Thomas, M., see Noguchi, M. (92) 69
Thomson, F.J. and Mitchell, R.
Differential involvement of phospholipase A_2 in phorbol ester-induced luteinizing hormone and growth hormone release from rat anterior pituitary tissue (95) 75
Thomson, F.J., Johnson, M.S., Mitchell, R., Wolbers, W.B., Ison, A.J. and MacEwan, D.J.
The differential effects of protein kinase C activators and inhibitors on rat anterior pituitary hormone release (94) 223
Thomson, F.J., see Johnson, M.S. (95) 31
Tillman, J.B., Crone, D.E., Kim, H.-S., Sprung, C.N. and Spindler, S.R.
Promoter independent down-regulation of the firefly luciferase gene by T_3 and T_3 receptor in CV1 cells (95) 101
Tora, L., see Klungland, H. (95) 147
Torjesen, P.A., see Sørnes, G. (93) 149
Törnquist, K.
ATP-induced entry of calcium in thyroid FRTL-5 cells. Studies with phorbol myristate acetate and thapsigargin (93) 17
Torronteras, R., Castaño, J.P., Almaden, Y., Ruiz-Navarro, A. and Gracia-Navarro, F.
Hormonal storage patterns and morphological heterogeneity of porcine gonadotrope cells during postnatal development (97) 51
Tourmente, S., see Bruhat, A. (94) 61
Tramontano, D., see Villone, G. (95) 85
Trautman, M.S., see Mitchell, M.D. (93) C7
Tregear, G.W., see Roche, P.J. (91) 21
Tremblay, R.R., see Gauthier, E.R. (94) 155
Trivin, F., see Chantoux, F. (97) 145
Trudel, C., see Martel, C. (91) 43
Turner, J.D., see Romagnolo, D. (96) 147
Turney, M.K., see McCammon, D.K. (91) 177
Tuuri, T., see Erämaa, M. (92) R15

Uchida, E., see Sakal, E. (97) 129

Vacher, P., see Dufy-Barbe, L. (95) 67
Vamvakopoulos, N.C. and Chrousos, G.P.
Regulated activity of the distal promoter-like element of the human corticotropin-releasing hormone gene and secondary structural features of its corresponding transcripts (94) 73
Vandenbroucke, A.-T., see Houben, H. (97) 159
Van der Burg, B., Van der Leede, B.-j.M., Kwakkenbos-Isbrücker, L., Salverda, S., De Laat, S.W. and Van der Saag, P.T.
Retinoic acid resistance of estradiol-independent breast cancer cells coincides with diminished retinoic acid receptor function (91) 149
Van der Leede, B.-j.M., see Van der Burg, B. (91) 149
Van der Saag, P.T., see Van der Burg, B. (91) 149
Vaughan, M.K., see Rodriguez, C. (93) 167
Velkeniers, B., see Scippo, M.L. (92) R7
Veneziani, B.M., see Villone, G. (95) 85
Verbost, P.M., Butkus, A., Atsma, W., Willems, P., Flik, G. and Wendelaar Bonga, S.E.
Studies on stanniocalcin: characterization of bioactive and antigenic domains of the hormone (93) 11
Verheyden, A.-M., see Houben, H. (97) 159
Verhoeven, G., see Celis, L. (94) 164
Verstuyf, A., see Vuille, J.-C. (96) 91
Vigano, P., see Di Blasio, A.M. (96) R7
Villa, A., see Sanchez-Pacheco, A. (91) 127
Villone, G., Veneziani, B.M., Picone, R., De Amicis, F., Perrotti, N. and Tramontano, D.
In the thyroid cells proliferation, differentiated and metabolic functions are under

the control of different steps of the cyclic AMP cascade (95) 85
Viñals, F., see Gumà, A. (91) 29
Vogel, T., see Granot, I. (92) 241
Voutilainen, R., see Ilvesmäki, V. (91) 59
Voutilainen, R., see Ilvesmäki, V. (97) 71
Vuille, J.-C., Cattini, P.A., Bock, M.E., Verstuyf, A., Schroedter, I.C., Duckworth, M.L. and Friesen, H.G.
Rat prolactin-like protein A partial gene and promoter structure: promoter activity in placental and pituitary cells (96) 91

Waeber, B., see Walker, P. (91) 107
Wagner, G.F., Fargher, R.C., Milliken, C., McKeown, B.A. and Copp, D.H.
The gill calcium transport cycle in rainbow trout is correlated with plasma levels of bioactive, not immunoreactive, stanniocalcin (93) 185
Walker, P., Munoz, M., Combe, M.-C., Grouzmann, E., Herzog, H., Selbie, L., Shine, J., Brunner, H.R., Waeber, B. and Wittek, R.
High level expression of human neuropeptide Y receptors in mammalian cells infected with a recombinant vaccinia virus (91) 107
Wallace, R.M., see Brown, P. (93) 157
Wang, B.S., Sadeghi, H., Fung, C., Korkidis, K. and Lumanglas, A.L.
Inhibitory effect of growth-enhancing antibody on the interaction between growth hormone and growth hormone binding protein (92) 161
Wang, D., see Lin, T. (95) 139
Wang, W.L., see Spaziani, E. (95) 111
Wang, X., Cioffi, J.A., Kelder, B., Harding, P.A., Chen, W.Y. and Kopchick, J.J.
Expression of a functional porcine growth hormone receptor cDNA in mouse L cells (94) 89
Wang, X., Porter, W., Krishnan, V., Narasimhan, T.R. and Safe, S.
Mechanism of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD)-mediated decrease of the nuclear estrogen receptor in MCF-7 human breast cancer cells (96) 159
Washburn, A.L., see Murono, E.P. (92) 121
Washburn, A.L., see Murono, E.P. (97) 109
Waterman, M.R., see Fevold, H.R. (95) 95
Waterman, M.R., see Lauber, M.E. (93) 227
Waterman, M.R., see Lauber, M.E. (94) 235
Watson, C.J., see Watson, R.D. (92) 221
Watson, R.D., Yeh, W.E., Muehleisen, D.P., Watson, C.J. and Bollenbacher, W.E.
Stimulation of ecdysteroidogenesis by small prothoracicotropic hormone: role of cyclic AMP (92) 221
Webley, G.E., see Abayasekara, D.R.E. (97) 81
Weinbauer, G.F., see Gromoll, J. (91) 119
Weiner, K.X.B. and Dias, J.A.
Regulation of ovarian ornithine decarboxylase activity and its mRNA by gonadotropins in the immature rat (92) 195
Weitsman, S.R., see Magoffin, D.A. (96) 45
Welshons, W.V., Grady, L.H., Judy, B.M., Jordan, V.C. and Preziosi, D.E.
Subcellular compartmentalization of MCF-7 estrogen receptor synthesis and degradation (94) 183
Wendelaar Bonga, S.E., see Verbost, P.M. (93) 11
Wheeler-Jones, C.P.D., see Jones, P.M. (94) 97
Widmaier, E.P., see Arai, M. (92) 91
Wikström, A.-C., see Schultz, R. (95) 115
Wilcox, B.D., see Rydelek-Fitzgerald, L. (91) 67
Wilcox, B.D., see Rydelek-Fitzgerald, L. (92) 253
Willems, P., see Verbost, P.M. (93) 11
Wiltbank, M.C., Belfiore, C.J. and Niswender, G.D.
Steroidogenic enzyme activity after acute activation of protein kinase (PK) A and PKC in ovine small and large luteal cells (97) 1
Wind, J.C., Born, W., Rijnsent, A., Boer, P. and Fischer, J.A.
Stimulation of calcitonin/CGRP-I and CGRP-II gene expression by dibutyryl cAMP in a human medullary thyroid carcinoma (TT) cell line (92) 25
Wintour, E.M., see Fu, P. (93) 107
Wittek, R., see Walker, P. (91) 107
Wolbers, W.B., see Thomson, F.J. (94) 223
Wolf, B.A., see Konrad, R.J. (92) 135
Wong, E.A., see Romagnolo, D. (96) 147
Wood, D.F., see Johnston, J.M. (92) 63
Wood, W.M., see Gordon, D.F. (96) 75
Wood, W.M., see Sarapura, V.D. (91) 75
Wortsman, J., see Slominski, A. (93) C1
Wu, N., see Murono, E.P. (92) 121
Wu, N., see Murono, E.P. (97) 109
Wu, W.-X., see Zabavnik, J. (95) 121
Wulff, B.S., Catipovic, B., Okamoto, H., Gether, U., Schwartz, T.W. and Johansen, T.E.
Efficient amidation of C-peptide deleted NPY precursors by non-endocrine cells is affected by the presence of Lys-Arg at the C-terminus (91) 135
Wuttke, W., see Kim, K. (97) 153
Wyllie, F.S., see Bond, J.A. (93) 175
Wynford-Thomas, D., see Bond, J.A. (93) 175

Xia, H., Fernandez, L.M. and Puett, D.
Replacement of the invariant tyrosine in the CAGY region of the human chorionic gonadotropin β subunit (92) R1
Yaffe, B.M., see Jones, K.E. (91) 113
Yajima, A., see Suzuki, T. (97) 135
Yajima, Y., Akita, Y., Katada, T. and Saito, T.
Somatostatin induces release of the α subunits of pertussis toxin-sensitive G proteins in native membranes and in intact GH_4C_1 rat pituitary cells (92) 143
Yamamoto, S.Y., see Bryant-Greenwood, G.D. (95) 23
Yamazaki, T., McNamara, B.C. and Jefcoate, C.R.
Competition for electron transfer between cytochromes $P450_{scc}$ and $P450_{11\beta}$ in rat adrenal mitochondria (95) 1
Yarney, T.A., Sairam, M.R., Khan, H., Ravindranath, N., Payne, S. and Seidah, N.G.
Molecular cloning and expression of the ovine testicular follicle stimulating hormone receptor (93) 219
Yeh, W.E., see Watson, R.D. (92) 221
Yen, P.M., Sugawara, A., Forgione, M., Spanjaard, R.A., Macchia, E., Cheng, S.-Y. and Chin, W.W.
Region-specific anti-thyroid hormone receptor (TR) antibodies detect changes in TR structure due to ligand-binding and dimerization (97) 93
Yoon, Y.D., see Cho, B.N. (93) 47
Youdim, M.B.H., see Amit, T. (94) 149
Yu, X.-P., see Zerwekh, J.E. (96) 1

Zabavnik, J., Wu, W.-X., Eidne, K.A. and McNeilly, A.S.
Dopamine D_2 receptor mRNA in the pituitary during the oestrous cycle, pregnancy and lactation in the rat (95) 121
Zachayus, J.-L. and Plas, C.
Insulin receptor β-subunit serine phosphorylation in permeabilized cultured fetal rat hepatocytes (92) 15
Zachow, R.J. and Terranova, P.F.
Involvement of protein kinase C and protein tyrosine kinase pathways in tumor necrosis factor-α-induced clustering of ovarian theca-interstitial cells (97) 37
Zajac, J.D., see Chilco, P.J. (94) 1
Zanger, U.M., see Fevold, H.R. (95) 95
Zerwekh, J.E., Yu, X.-P., Breslau, N.A., Manolagas, S. and Pak, C.Y.C.
Vitamin D receptor quantitation in human blood mononuclear cells in health and disease (96) 1
Zhang, F., see Markkula, M.A. (96) 25
Zhou, P., see McCammon, D.K. (91) 177
Zhou, W., see Chi, L. (91) R1
Zick, Y., see Hadari, Y.R. (97) 9
Zikherman, J., see Petanceska, S. (94) 37
Zlock, D.W., see Dorin, R.I. (96) 99
Zollinger, M., see Chevrier, D. (94) 213
Zorzano, A., see Gumà, A. (91) 29